

CROP : CUCUMBER

Trial carried out in Crete Island in 2001

SITE DETAILS

Crop : Cucumber
Farmer : Paterakis Giannis
Trial location: Ierapetra
Date : 04/01/2001
Tested products : Treated area = **AMINOFIT + Nutrileaf 20-20-20**
Control area = **Nutrileaf 20-20-20**
Number of applications: 3
Application method: First application: ground
Second and third application: foliar spray

APPLICATION DETAILS

	Product	Dose rate	Crop stage at application	Application method
Application N°1	AMINOFIT+ Nutrileaf 20-20-20	300 cc + 1 lb / 100 l water	Growing stage	Ground
Application N°2	AMINOFIT+ Nutrileaf 20-20-20	300 cc + 1 lb / 100 l water	Application N° 1 + 15 days	Foliar
	Nutrileaf 20-20-20 (control)	1 lb / 100 l water		
Application N°3	AMINOFIT+ Nutrileaf 20-20-20	300 cc + 1 lb / 100 l water	Application N° 2 + 15 days	Foliar
	Nutrileaf 20-20-20 (control)	1 lb / 100 l water		

COMMENTS CONCLUSION

- ➔ The treated plots show 10% increase of growth and 4 to 5% increase of foliage.
- ➔ Treated plants were more active and green.
- ➔ Yield of treated plants was increased by 3%.